

OPERATOR'S MANUAL SET-UP INSTRUCTIONS & PARTS LIST

HYDRAULIC ROLLERS & ROLLERS (LESS HYDRAULICS)



MARKET FARM EQUIPMENT LIMITED, R.R.#1 DASHWOOD, ONTARIO, CANADA

TEL# 519-238-2301 FAX# 519-238-6044 E-MAIL: <u>mfeltd@execulink.com</u>

www.marketfarmequipment.com

"SERVING THE FARM INDUSTRY SINCE 1962"

WARRANTY PROCEDURE

MARKET FARM EQUIPMENT WARRANTS THEIR MANUFACTURED PRODUCTS TO BE FROM DEFECTS IN MATERIAL AND WORKMANSHIP FOR A PERIOD OF ONE (1) YEAR AFTER THE DATE OF PURCHASE TO THE FIRST END USER AND IS SUBJECT TO THE FOLLOWING CONDITIONS.

- 1. Damage caused by improper use, negligence, or operation beyond rated capacity, improper set-up, adjustment, or any unauthorized modifications made by the dealer or customer, shall void this warranty.
- 2. Notification of damage or warranty claims must be submitted to Market Farm Equipment (M.F.E.) within seven (7) days of the date of failure.
- 3. All defective parts must be made available by the dealer, for inspection by M.F.E. if required, and returned at the dealer's expense.
- 4. All warranty claims must be approved by M.F.E.
- 5. The labour and freight required to replace defective parts is not reimbursable.
- 6. Exchange, credit or warranty status will be based on the results of the inspection of damaged items by the manufacturer.
- 7. Credit will be issued if and when the warranty claim is approved and <u>MUST</u> NOT be deducted from the account by the dealer.
- 8. Products and/or parts not manufactured by M.F.E. are subject to their own manufacturer's warranty conditions.

WARRANTY CONSIDERATION IS ONLY VALID WHEN THE WARRANTY REGISTRATION FORM HAS BEEN RECEIVED BY MARKET FARM EQUIPMENT.

MARKET FARM EQUIPMENT LIMITED EXPRESS WARRANTY

Market Farm Equipment Limited warrants against defects in construction and materials for a period of ONE year. We reserve the right to inspect and decide whether material or construction was faulty, or whether abuse or accident voids our guarantee.

This warranty does not cover a component which fails, malfunctions or is damaged as a result of (I) improper modification or repair, (II) accident, abuse or improper use, including loading beyond the specified maximum weights and requirements (III) improper or insufficient maintenance, or (IV) normal wear and tear.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

In no way shall Market Farm Equipment Limited be liable for special, direct, incidental or consequential damages of any kind, including but not limited to labour charges.

The exclusive remedy under this warranty shall be repair or replacement of the defective component at Market Farm Equipment Limited's option. This is the entire agreement between Market Farm Equipment Limited and the owner about warranty. NO M.F.E. Ltd. employee or dealer is authorized to make additional warranty on behalf of Market Farm Equipment Limited.

(Fill in the following for future reference)

Serial number:	
Date of purchase:	
Purchased from:	

WARRANTY REGISTRATION

MARKET FARM EQUIPMENT LIMITED R.R. 1 DASHWOOD, ONTARIO, CANADA, NOM 1NO

Fax: 519-238-6044 E-mail: mfeltd@execulink.com

Purchaser's warranty protection on this equipment is valid only when this registration form is completed by the purchaser and returned to Market Farm Equipment Limited.

Date of purchase:

Type of equipment:
Model number: Serial number:
PURCHASER'S SIGNATURE INDICATES:
 Acceptance of equipment, fully assembled () unassembled () Receipt of operator's manual Clear understanding of warranty Receipt of instructions on special safety equipment available Receipt of instructions on safe and proper operating procedures
PURCHASER:
Name:
Signature:
Mailing Address:
Prov./State: Postal/Zip Code:
Telephone number:
Purchased from:

THIS WARRANTY MUST BE VALIDATED BY THE MANUFACTURER

It is valid only when a copy of the registration has been received by the manufacturer at address shown.

SAFETY INSTRUCTIONS

Before using, READ and UNDERSTAND SAFETY INSTRUCTIONS.

The MARKET COMPACT ROLLER is designed for rolling lawns and should not be used to transport material, equipment or persons.

Do not use while under the influence of alcohol, medication or drugs.

This equipment should not be operated by children or persons who are unfamiliar with the MARKET COMPACT ROLLER.

Hydraulic oil leaking under pressure can cause injury. Check hydraulic hoses for wear. If hoses are worn replace immediately. Make sure all hydraulic connections are tight. Before disconnecting hydraulic lines, relieve pressure.

Stop engine and remove key when attaching or detaching the MARKET COMPACT ROLLER from the tractor.

YOUR SAFETY IS OUR MAIN CONCERN, HOWEVER IT IS UP TO THE OPERATOR TO PRACTICE CAUTION.

ASSEMBLY INSTRUCTIONS

The MARKET COMPACT ROLLER comes fully assembled unless specified differently by the dealer/customer.

OPERATING INSTRUCTIONS


Grease all grease fittings before using.

For maximum weight fill the roller(s) with water. Drain after rolling season to avoid damage to the roller drum due to freezing.

When operating the 13' 6" HYDRAULIC MARKET COMPACT ROLLER fold out the wings first prior to lowering. Raise the roller prior to folding the roller for transport/storage.


ROLLER COMPONENTS

4' ROLLER FRAME (52½") 5' ROLLER FRAME (64½") 6' ROLLER FRAME (76½")






PILLOW BLOCK BEARINGS (2) (4) ½" X 4½" BOLTS C/W FLAT WASHERS & LOCK NUTS




ROLLER HYDRAULIC WHEEL KIT



FLAT WASHERS & LOCK NUTS

(3) ½" X 2½" U-BOLTS (UB-2) C/W

13' 6" ROLLER WING FRAME



6'CENTRE FRAME 1W 13' 6" ROLLER HINGE 15 1WL 1WR 4' WING FRAME

MARKET COMPACT ROLLER

REF#	DESCRIPTION	QTY 4FT.	QTY 5FT.	QTY 6FT.	QTY 13FT.6IN.
ILF #	L	ROLLERS	QII JFI.	QII OFI.	QTT 13FT.OH.
1	4 FT FRAME (48 ¾")	1		T	
	5 FT FRAME (60 ¾")	1	1	<u> </u>	
	6 FT FRAME (72 ¾")			1	-
2	4 FT ROLLER DRUM (48")	-	-	1	-
		1	-	-	-
-	5 FT ROLLER DRUM (60")	-	1	-	-
	6 FT ROLLER DRUM (72")	-	-	1	-
3	ROLLER TONGUE	1	1	1	-
4	PILLOW BLOCK BEARING	2	2	2	-
5	2" BALL COUPLER (2" TUBE)	1	1	1	-
	HYDRAULIC WHEE	1		T	
7	WHEEL FRAME	1	1	1	1
8	WHEEL FRAME BRACKET	2	2	2	2
9	CYLINDER BRACKET	1	1	1	1
10	HYDRAULIC CYLINDER (2½" X 8")	1	1	1	1
11*	20.5 x 8.00-10 TIRES ON 6 BOLT RIMS	2	2	2	2
12	3/8" HOSE C/W NIPPLE MKT-88	1	1	1	-
13	3/8" HOSE C/W NIPPLE MKT-72	1	1	1	2
25	4000 LB. HUB C/W 1¾" SHAFT X 8" LONG	2	2	2	2
	13′ 6″ FOLD	ING ROLLER			
1W	6 FT CENTRE FRAME (72 ¾") FOLDING	-	-	-	1
UN	UNIT				
1WL	4 FT WING FRAME (48 ¾") LEFT WING	-	-	-	1
1WR	4 FT WING FRAME (48 ¾") RIGHT WING	-	-	-	1
2W	4 FT ROLLER DRUM (48")	-	-	-	2
6	2" BALL COUPLER (2½" TUBE)	-	-	-	1
3W	ROLLER TONGUE FOLDING UNIT	-	-	-	1
14	DOUBLE SELECTOR VALVE	-	-	-	1
15	WING PIN	-	-	-	2
16	HYDRAULIC CYLINDER (2½" X 16")	-	-	-	2
17	CYLINDER EAR	-	-	-	2
18*	3/8" HOSE MKT-30	-	-	-	2
19*	3/8" HOSE MKT-12	-	-	-	3
20*	3/8" HOSE MKT-20	-	-	-	2
21*	3/8" HOSE MKT-22	-	-	-	1
22*	REDUCERS ¾" TO ½"	-	-	-	6
23*	90 DEGREE FITTINGS	-	-	_	10
24*	½" TEES	_	_	_	2
	ARTS ARE NOT SHOWN IN DIAGRAMS			I	